<table style="width: 740px; height: 364px;" border="0" cellpadding="10px"> <tr> <td valign="top"> BINJAI (6001) </td> <td valign="top">{tab=Descriptions}Close-coupled washdown pedestal WC suite Roughing-in distance: S-trap: 230mm
6/3 litres dual flush
Optional: Soft close seat and cover
 Also available: roughing-in distance P-trap: 180mm
 700mm (L) x 375mm (W) x 800mm (H)
</td> </tr> </table> <table style="width: 740px; height: 364px;" border="0" cellpadding="10px"> <tr> <td valign="top"> ROBSON (6002) </td> <td valign="top">{tab=Descriptions}Close-coupled washdown pedestal WC suite
  Roughing-in distance: S-trap: 210mm
6/3 litres dual flush
Optional: Soft close seat and cover
 Also available: roughing-in distance P-trap: 180mm
 660mm (L) x 375mm (W) x 780mm (H)
</td> </tr> </table> <table style="width: 740px; height: 364px;" border="0" cellpadding="10px"> <tr> <td valign="top"> EMERALD (7004) </td> <td valign="top"> {tab=Descriptions}Close-coupled washdown pedestal WC suite
  Roughing-in distance: S-trap: 250mm
6/3 litres dual flush
Optional: Soft close seat and cover
 Also available: roughing-in distance P-trap: 180mm
 690mm (L) x 370mm (W) x 770mm (H)

 </td> </tr> </table> <table style="width: 740px; height: 364px;" border="0" cellpadding="10px"> <tr> <td valign="top"> TRAVERS

(8001) </td> <td valign="top">{tab=Descriptions}Close-coupled washdown pedestal WC suite
  Roughing-in distance: S-trap: 255mm
6/3 litres dual flush
Optional: Soft close seat and cover
 700mm (L) x 365mm (W) x 780mm (H)
</td> </tr> </table> <table style="width: 740px; height: 360px;" border="0" cellpadding="10px"> <tr> <td valign="top"> MADGE (8002)
</td> <td valign="top">{tab=Descriptions}Close-coupled washdown pedestal WC suite
  Roughing-in distance: S-trap: 200mm
6/3 litres dual flush
Optional: Soft close seat and cover
660mm (L) x 365mm (W) x 780mm (H)

</td> </tr> </table> &#65533; <hr class="system-pagebreak" /> &#65533; <table style="width: 740px; height: 364px;" border="0" cellpadding="10px"> <tr> <td valign="top"> FRASERS (8004) </td> <td valign="top">{tab=Descriptions}Close-coupled washdown pedestal WC suite
  Roughing-in distance: S-trap: 200mm
6/3 litres dual flush
 Optional: Soft close seat and cover
Also available: roughing-in distance S-trap: 250mm
 660mm (L) x 365mm (W) x 785mm (H)
</td> </tr> </table> <table style="width: 740px; height: 364px;" border="0" cellpadding="10px"> <tr> <td valign="top"> GHANEY (8005) </td> <td valign="top">{tab=Descriptions}Close-coupled washdown pedestal WC suite
  Roughing-in distance: S-trap: 255mm
6/3 litres dual flush
Optional: Soft close seat and cover
 700mm (L) x 365mm (W) x 780mm (H)
</td> </tr> </table> <table style="width: 740px; height: 364px;"

border="0" cellpadding="10px"> <tr> <td valign="top"> MAXWELL (8008) </td> <td valign="top">{tab=Descriptions}Close-coupled washdown pedestal WC suite
  Roughing-in distance: S-trap: 225mm
6/3 litres dual flush
Optional: Soft close seat and cover
 660mm (L) x 365mm (W) x 780mm (H)
</td> </tr> </table> <table style="width: 740px; height: 364px;" border="0" cellpadding="10px"> <tr> <td valign="top"> GALLOWAY (8008T) </td> <td valign="top">{tab=Descriptions}Close-coupled washdown pedestal WC suite
  Roughing-in distance: S-trap: 250mm
6/3 litres dual flush
Optional: Soft close seat and cover
 Also available: roughing-in distance P-trap: 180mm
 680mm (L) x 360mm (W) x 755mm (H)
</td> </tr> </table> <table style="width: 740px; height: 364px;" border="0" cellpadding="10px"> <tr> <td valign="top"> PRIMO (LMK 3011) </td> <td valign="top"> {tab=Descriptions}Close-coupled washdown WC suite
  Roughing-in distance: S-trap: 250mm
6/3 litres dual flush
Soft close seat and cover
 Also available: roughing-in distance P-trap: 180mm
 690mm (L) x 430mm (W) x 850mm (H)
</td> </tr> </table> <hr class="system-pagebreak" /> &#65533; <table style="width: 740px; height: 364px;" border="0" cellpadding="10px"> <tr> <td valign="top"> KING PALACE (LMK 7011)
</td> <td valign="top">{tab=Descriptions}Close-coupled washdown WC suite
  Roughing-in distance: S-trap:

250mm
6/3 litres dual flush
Soft close seat and cover
 Also available: roughing-in distance P-trap: 180mm
 750mm (L) x 380mm (W) x 770mm (H)</p>

</td> </tr> </table>